



Passation

WATCH BRANDING & PERSONALISATION

Need information?

contact@passation.ch

0033 689208120



Catalog 2023/2024

© 2024 WeebWeeb groupe



What about designing your own watch?

Need information?

contact@passation.ch

0033 689208120



Catalog 2023/2024

© 2024 WeebWeeb groupe

Main information

**Custom production
white label from
10 pieces**

**Custom production
white label from
5 pieces for
"Classic" collection**

**100% tailor-made models
from 500 pieces**

Delivery within 30days

**Possible customizations
white label: bracelet,
dial , case , serial
number ...**

**Quartz Watch catalog
(on request)**

Need information?

contact@passation.ch

0033 689208120



Catalog 2023/2024

© 2024 WeebWeeb groupe

Available customizations

Customizations

Movement & Serial number



Customizations

Watch dial (logo and/or brand name)



Customizations

Engraving buckle bracelet



Available customizations

Customizations

Print on Packaging



Customizations

Packaging



Classic



Classic



Reference A-CLA100M01



Reference A-CLA100M02



Reference A-CLA100M03

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Classic



Reference A-CLA100M04



Reference A-CLA100M05



Reference A-CLA100M06

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200

Need information?

contact@passation.ch

0033 689208120



Catalog 2023/2024

© 2024 WeebWeeb groupe

Classic



Reference A-CLA100M07



Reference A-CLA100M11



Reference A-CLA100M12

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Classic



Reference A-CLA100M13



Reference A-CLA100M14



Reference A-CLA100M15

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Classic



Reference A-CLA100M16



Reference A-CLA100M17



Reference A-CLA100M18

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Classic



Reference A-CLA100M19

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200

Need information?

contact@passation.ch

0033 689208120



Catalog 2023/2024

© 2024 WeebWeeb groupe

Classic coeur ouvert



Classic coeur ouvert



Reference A-CLACO100M21



Reference A-CLACO100M22



Reference A-CLACO100M23

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	No
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Classic coeur ouvert



Reference A-CLACO100M26



Reference A-CLACO100M31



Reference A-CLACO100M33

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	No
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Classic coeur ouvert



Reference A-CLACO100M34



Reference A-CLACO100M35



Reference A-CLACO100M38

AUDIENCE	Gent
CASE DIAMETER (MM)	40 mm
CASE THICKNESS	10.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	No
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200

Sobre 100M



Sobre 100M



Reference A-SO100M01



Reference A-SO100M03



Reference A-SO100M04

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	11.60 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Sobre 100M



Reference A-SO100M07



Reference A-SO100M08



Reference A-SO100M11

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	11.60 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Sobre 100M



Reference A-SO100M12

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	11.60 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	10 ATM / 100 M
DATE	Date Indication
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200

Need information?
contact@passation.ch
0033 689208120



Titane 300M



Titane 300M



Reference A-TI300M01



Reference A-TI300M02



Reference A-TI300M03

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	13.40 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	30 ATM / 300 M
FUNCTIONS	Date +Ceramic Bezel, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200



Titane 300M



Reference A-TI300M04



Reference A-TI300M05



Reference A-TI300M06

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	13.40 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	30 ATM / 300 M
FUNCTIONS	Date +Ceramic Bezel, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200



Titane 300M



Reference A-TI300M07



Reference A-TI300M08



Reference A-TI300M09

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	13.40 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	30 ATM / 300 M
FUNCTIONS	Date +Ceramic Bezel, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200



Titane 300M



Reference A-TI300M10



Reference A-TI300M11



Reference A-TI300M12

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	13.40 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	30 ATM / 300 M
FUNCTIONS	Date +Ceramic Bezel, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200

Sport 200M



Sport 200M



Reference A-SP200M01



Reference A-SP200M02



Reference A-SP200M05

AUDIENCE	Gent
CASE DIAMETER (MM)	43 mm
CASE THICKNESS	12.00 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	20 ATM / 200 M
FUNCTIONS	Date +Screw Crown, Luminous, rotating, domed Sapphire Bezel
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200

Need information?

contact@passation.ch

0033 689208120




Catalog 2023/2024

© 2024 WeebWeeb groupe


Sport 500M



Sport 500M



Reference A-SP500M01



Reference A-SP500M02




Reference A-SP500M03

AUDIENCE	Gent
CASE DIAMETER (MM)	44 mm
CASE THICKNESS	14.00 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	50 ATM / 500 M
FUNCTIONS	Date +Ceramic Bezel, Helium Release Valve, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200



Sport 500M



Reference A-SP500M04



Reference A-SP500M05



Reference A-SP500M06

AUDIENCE	Gent
CASE DIAMETER (MM)	44 mm
CASE THICKNESS	14.00 mm
GLASS	Sapphire Glass
WATER-RESISTANT UP TO	50 ATM / 500 M
FUNCTIONS	Date +Ceramic Bezel, Helium Release Valve, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200

Sport 500M



Reference A-SP500M07

AUDIENCE	Gent
CASE DIAMETER (MM)	44 mm
CASE THICKNESS	14.00 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	50 ATM / 500 M
FUNCTIONS	Date +Ceramic Bezel, Helium Release Valve, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200



Plongée 1000M



Plongée 1000M



Reference A-PL1000M01



Reference A-PL1000M02



Reference A-PL1000M03

AUDIENCE	Gent
CASE DIAMETER (MM)	45 mm
CASE THICKNESS	15.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	100 ATM / 1000 M
FUNCTIONS	Date +Ceramic Bezel, Helium Release Valve, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200



Plongée 1000M



Reference A-PL1000M04



Reference A-PL1000M05



Reference A-PL1000M06

AUDIENCE	Gent
CASE DIAMETER (MM)	45 mm
CASE THICKNESS	15.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	100 ATM / 1000 M
FUNCTIONS	Date + Ceramic Bezel, Helium Release Valve, Rotating Bezel, ScrewCrown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200

Need information?
contact@passation.ch
0033 689208120



Catalog 2023/2024

© 2024 WeebWeeb groupe

Plongée 1000M



Reference A-PL1000M07



Reference A-PL1000M08



Reference A-PL1000M09

AUDIENCE	Gent
CASE DIAMETER (MM)	45 mm
CASE THICKNESS	15.80 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	100 ATM / 1000 M
FUNCTIONS	Date +Ceramic Bezel, Helium Release Valve, Rotating Bezel, Screw Crown
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Ronda Automatique Cal. R150, Sellita Automatique Cal. SW200

Dynamique



Dynamique 200



Reference A-DY200M05



Reference A-DY200M01



Reference A-DY200M02

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	13.35 mm
GLASS	Sapphire Glass
WATER-RESISTANT UP TO	20ATM / 200 M
FUNCTIONS	Date +Screw Crown, Luminous, rotating, domed Sapphire Bezel
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200



Dynamique 200



Reference A-DY200M03



Reference A-DY200M04


AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	13.35 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	20ATM / 200 M
FUNCTIONS	Date +Screw Crown, Luminous, rotating, domed Sapphire Bezel
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200


Dynamique Coeur ouvert



Dynamique 200 Coeur ouvert



Reference A-DYCO200M15



Reference A-DYCO200M11



Reference A-DYCO200M12

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	13.35 mm
GLASS	Sapphire Glass
WATER-RESISTANT UP TO	20ATM / 200 M
FUNCTIONS	Screw Crown, Luminous, rotating, domed Sapphire Bezel
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200

Need information?

contact@passation.ch


0033 689208120



Catalog 2023/2024

© 2024 WeebWeeb groupe

Dynamique 200 Coeur ouvert



Reference A-DYCO200M13



Reference A-DYCO200M14

AUDIENCE	Gent
CASE DIAMETER (MM)	42 mm
CASE THICKNESS	13.35 mm
GLASS	Sapphire Glass
WATER-RESISTANT UP TO	20ATM / 200 M
FUNCTIONS	Screw Crown, Luminous, rotating, domed Sapphire Bezel
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200

Need information?

contact@passation.ch

0033 689208120



Catalog 2023/2024

© 2024 WeebWeeb groupe

Femme 100M



Femme 100M



Reference A-FE100M01



Reference A-FE100M02



Reference A-FE100M03

AUDIENCE	Lady
CASE DIAMETER (MM)	34 mm
CASE THICKNESS	10.10 mm
GLASS	Sapphire Glass

WATER-RESISTANT UP TO	5 ATM / 50 M
VARIOUS	Crystal stones
MOVEMENT	3-Hand, Automatic
MOVEMENT CALIBER	Sellita Automatique Cal. SW200

